Amendments to the Claims

Claim 1 (Previously presented):	Hybrid maize see	d designated X1069G, representative seed
of said hybrid X1069G having been	deposited under A	TCC Accession number
Claim 2 (Currently amended): growing the seed of claim 1.	A maize plant, or	r its parts <u>a part thereof,</u> produced by
Claim 3 (Original): Pollen of the p	plant of claim 2.	
Claim 4 (Original): An ovule of the	e plant of claim 2	
Claims 5-62 (Canceled)		
Claim 63 (Previously presented): plant of claim 2.	A tissue culture c	f regenerable cells produced from the
Claim 64 (Previously presented):	Protoplasts produ	ced from the tissue culture of claim 63.
Claim 65 (Currently amended): wherein cells of the tissue culture are pollen, embryo, root, root tip, anther,	from a tissue sele	produced from the plant of claim 2 <u>63,</u> ected from the group consisting of leaf, el, ear, cob, husk and stalk.
	ogical and physiol	generated from the tissue culture of claim ogical characteristics of hybrid maize been deposited under ATCC Accession
Claim 67 (Previously presented):	A method for pro	ducing an FI hybrid maize seed,
comprising crossing the plant of clair	n 2 with a differer	t maize plant and harvesting the resultant

F1 hybrid maize seed.

Claim 68 (Previously presented):	A method of prod	lucing a male sterile l	ıybrid maize plant
comprising transforming at least on	e of inbred maize p	arent plants GE53576	69 and GE515721,
representative samples of which have	ve been deposited a	s and	respectively, wit
a nucleic acid molecule that confers	male sterility and	 prossing said inbred π	naize parent plants t
produce said male sterile hybrid ma	ize p lant.		
Claim 69 (Previously presented):	A male sterile ma	ize hybrid plant prod	uced by the method
of claim 68.			
Claim 70 (Previously presented):	A method of prod	lucing an herbicide τε	sistant hybrid maizo
plant comprising transforming at lea	ast one of inbred ma	aize parent plants GE:	535769 and
GE515721, representative samples	of which have been	deposited as	_ and
respectively, with a transgene that c	onfers herbicide res	sistance to generate ar	ı herbicide resistant
inbred maize parent plant and crossi	ing said inbred mai	ze parent plants to pro	oduce said herbicide
resistant hybrid maize plant.			
Claim 71 (Previously presented):	An herbicide resi	stant hybrid maize pla	ant produced by the
method of claim 70.			
Claim 72 (Previously presented):	The herbicide res	istant hybrid maize pl	ant of claim 71,
wherein the transgene confers resista	ance to an herbicide	selected from the gr	oup consisting of:
imidazolinone, sulfonylurea, glypho	sate, glufosinate, L	-phosphinothricin, tri	azine and
benzonitrile,			
Claim 73 (Previously presented):	A method of prod	lucing an insect resista	ant hybrid maize
plant comprising transforming at lea	st one of inbred ma	uize parent plants GE:	535769 and
GE515721, representative samples of			
respectively, with a transgene that co		-	
maize parent plant and crossing said			
hybrid maize plant,			

Claim 74 (Previously presented): claim 73.	An insect resistar	nt maize plant produced by the me	ethod of
Claim 75 (Currently amended): transgene comprises a transgene ene		nt maize plant of claim 74, where	in the
	<u>8</u>		
Claim 76 (Previously presented):	A method of prod	lucing a disease resistant hybrid r	naize
plant comprising transforming at lea	st one of inbred m	aize parent plants GE535769 and	
GE515721, representative samples of	of which have been	deposited as and	
respectively, with a transgene that co	onfers disease resis	tance to generate a disease resista	ant inbred
maize parent plant and crossing said	inbred maize pare	nt plants to produce said disease	resistant
hybrid maize plant.	·		
Claim 77 (Previously presented):	A disease resistar	t hybrid maize plant produced by	/ the
method of claim 76.		·	
Claim 78 (Previously presented):	A method of prod	ucing a hybrid maize plant with	decreased
phytate content comprising transform	ning at least one of	f inbred maize parent plants GE53	35769
and GE515721, representative samp	les of which have l	peen deposited as and _	·
respectively, with a transgene encod	ing phytase to gene	rate an inbred maize parent plant	with
decreased phytate content and crossi	ng said inbred mai	ze parent plants to produce said h	ybrid
maize plant that confers decreased p	hytate content.		
Claim 79 (Previously presented):	A hybrid maize p	ant with decreased phytate conte	rit
produced by the method of claim 78		·	
	•		
Claim 80 (Previously presented):	A method of proc	lucing a hybrid maize plant with 1	modified
fatty acid metabolism or modified ca	arbohydrate metabo	plism comprising transforming at	least one
of inbred maize parent plants GE535	5769 and GE51572	l, representative samples of which	h have
been deposited as and	respectively,	with a transgene encoding a prote	in

selected from the group consisting of stearyl-ACP desaturase, fructosyltransferase, levansucrase, alpha-amylase, invertase and starch branching enzyme to generate an inbred maize parent plant with modified fatty acid metabolism or modified carbohydrate metabolism and crossing said inbred maize parent plants to produce said hybrid maize plant that confers modified fatty acid metabolism or modified carbohydrate metabolism.

Claim 81 (Previously presented): A hybrid maize plant produced by the method of claim 80.
Claim 82 (Previously presented): The hybrid maize plant of claim 81 wherein the transgene
confers a trait selected from the group consisting of waxy starch and increased amylose starch.
Claim 83 (Previously presented): A maize plant, or part thereof, having all the physiological
and morphological characteristics of the hybrid maize plant X1069G, representative seed of said
plant having been deposited under ATCC Accession No
Claim 84 (Currently amended): A method of introducing a desired trait into a hybrid maize
line X1069G comprising:
(a) crossing at least one of inbred maize parent plants GE535769 and GE515721,
representative samples of which have been deposited under ATCC Accession Nos. as
and respectively, with another maize line that comprises a desired trait, to produce F1
progeny plants, wherein the desired trait is selected from the group consisting of male sterility,
herbicide resistance, insect resistance, disease resistance and waxy starch;
(b) selecting said F1 progeny plants that have the desired trait to produce selected F1
progeny plants;
(c) backcrossing the selected progeny plants with said inbred maize parent plant to
produce backcross progeny plants;
(d) selecting for backcross progeny plants that have the desired trait and morphological
and physiological characteristics of said inbred maize parent plant;

times in succession to produce selected fourth or higher backcross progeny plants;

(e) repeating the steps of backcrossing to said inbred maize parent plant three or more

(f) crossing said backcross progeny plant with the other inbred maize parent plant to generate a hybrid maize line X1069G with the desired trait and all of the morphological and physiological characteristics of hybrid maize line X1069G listed in Table 1 as determined at a significance level when grown in the same environmental conditions.

Claim 85 (Currently amended): A plant produced by the method of claim 84, wherein the plant has the desired trait and all of the physiological and morphological characteristics of hybrid maize line X1069G listed in Table 1 as determined at the 5% significance level when grown in the same environmental conditions.

Claim 86 (Previously presented): The plant of claim 85 wherein the desired trait is herbicide resistance and the resistance is conferred to an herbicide selected from the group consisting of: imidazolinone, sulfonylurea, glyphosate, glufosinate, L-phosphinothricin, triazine and benzonitrile.

Claim 87 (Previously presented): The plant of claim 85 wherein the desired trait is insect resistance and the insect resistance is conferred by a transgene encoding a *Bacillus thuringiensis* endotoxin.

Claim 88 (Previously presented): The plant of claim 85 wherein the desired trait is male sterility and the trait is conferred by a cytoplasmic nucleic acid molecule that confers male sterility.

Claim 89 (Currently amended): A method of <u>modifying introducing modified</u> fatty acid metabolism, <u>modified</u> phytic acid metabolism or <u>modified</u> carbohydrate metabolism <u>intoin</u> a hybrid maize line X1069G comprising:

(a) crossing at least one of inbred maize parent plan	ants GE535769 and GE515721,
representative samples of which have been deposited unde	er ATCC Accession Nos. as
and respectively, with another maize line that cor	omprises a desired trait <u>nucleic acid</u>
molecule encoding an enzyme, to produce F1 progeny plar	ants, wherein the desired trait is selected

from the group consisting of phytase, stearyl-ACP desaturase, fructosyltransferase, levansucrase, alpha-amylase, invertase and starch branching enzyme.

- (b) selecting said F1 progeny plants that have the desired trait said nucleic acid molecule to produce selected F1 progeny plants;
- (c) backcrossing the selected progeny plants with said inbred maize parent plant to produce backcross progeny plants;
- (d) selecting for backcross progeny plants that have the desired trait said nucleic acid molecule and morphological and physiological characteristics of said inbred maize parent plant;
- (e) repeating the steps of backcrossing to said inbred maize parent plant three or more times in succession to produce selected fourth or higher backcross progeny plants;
- (f) crossing said backcross progeny plant with the other inbred maize parent plant to generate a hybrid maize line X1069G with the desired trait that comprises said nucleic acid molecule and has all of the morphological and physiological characteristics of hybrid maize line X1069G listed in Table 1 as determined at athe 5% significance level when grown in the same environmental conditions.

Claim 90 (Currently amended): A plant produced by the method of claim 89, wherein the plant has modified fatty acid metabolism, modified phytic acid metabolism or modified carbohydrate metabolism and all of the physiological and morphological characteristics of hybrid maize line X1069G listed in Table 1 as determined at athe 5% significance level when grown in the same environmental conditions.

Claim 91 (New): A method for producing a maize seed, comprising crossing the plant of claim 2 with itself or a different maize plant and harvesting the resultant maize seed.